

Group One Hydraulic RFQ/ Order Form

Project Name: _____ Location: _____

Customer: _____
 Contact: _____ Phone: _____
 Address: _____ Fax: _____
 _____ E-Mail: _____

- In Ground Twin Jack Holeless Cornerpost (In Ground)
 Passenger Freight Class of Loading: Class A Class B Class C-1 Class C-2 Class C-3

Capacity: _____ (lbs) Travel: _____ ft. _____ in.
 Speed Up: _____ FPM Seismic Zone: Zone 0/1 Zone 2 Zone 3 Zone 4

Platform: _____ Wide x _____ Deep

Hoistway: _____ Wide x _____ Deep

Pit Depth: _____ Clear Overhead: _____ Cab Height(OA): _____

Machine Rm: Adj. Lower Level Remote _____ ft. Power: _____ Volts 3Ph. 60 Hz.

Landings: _____ Openings: _____ Front: _____ Rear: _____ Side: _____

Door Type: SSSO 2SSO SSCO Bi-Parting(Freight) Other _____

Door Width: 36" 42" 48" 60" Other _____

Door Height: 84" 96" 120" Other _____

Power Unit: Submersible Dry Oil Line Output: RH LH Vic Thread

Jack: Pieces 1 2 3 4 PVC(Inground only) Sch 40 Sch 80 Cyl. Tape Wrap


Available Group One Options:

- Roller Guide Marine Plywood 3/4" EECO Valve Piping/Oil Line Package
 Low Pressure Sw. Constant Down Speed Oil Cooler Low Oil Switch
 Bladder Muffler Oil Level Sight Gauge Tank Heater Scavenger Pump/ 100 ft. Copper Tubing
 (Chamber Muffler Std.)

Comments: _____

Group One Hydraulic Package Includes:

- Platform w/Toe Guard: (2) Layers 1/2" Plywood, 26 Ga. Galvanized Fire Shield
- Sling: Stile, Bolster, X-Head, Stay Rods, Isolated Platen, Strike Plates
- Shoes/Guides: 816SSC Standard (Single Swivel)
- Limit Switch Package: 5 ea. Switches w/Brackets & Cam
- Pit Package: Buffer Stands w/Springs, Pit Channels
- Rail Brackets, Fasteners & Forged Clips
- Rails w/Splice Plates
- Jack Assembly
- Layout Drawings (11"x17")
- Power Unit: Submersible or Dry



Delaware Elevator Manufacturing
27685 Rockawalkin Ridge Road
Salisbury, MD 21801

Bruce Steffen Cell: 443-497-0155 Fax: 507-389-4569
Bruce Steffen E-mail: brucesteffen@delawareelevator.com

Date: _____
Group 2 RFQ; Page 1 of 2

Hydraulic Elevator Group 2 RFQ/Order Form
(To Be Used in Conjunction with Group 1 RFQ Form)

Project Name: _____

Location: _____

ASME Code To Follow: 1996 2000 2004 2007

Seismic Zone: Zone 0-1 Zone 2 Zone 3-4

Controller (Micro) / Starter: Include Do Not Include Provide As Alternate

Starter Type: Across Line Y-Delta Solid State

Operation: Selective Collective SAPB Simplex Duplex Include Tape Selector IP-8300

Fire 1 & 2 Emergency Power Logic Selective Openings Staggered Openings

Oil Viscosity Control Anti-Nuisance Load Weigh Interface Low Oil Switch

Nudging Homing Hall Lantern ____ Floors Fixture Voltage NOT 120VAC

Mass. EMT Keyed Lockout ____ Ea. Landings Telescopic Jack Re-Sync

Short Floor Hospital Service Emergency Battery Lower Unit

Reverse Phase Relay NON 115VAC Valve Coils

Other: _____

Fixtures: Include Do Not Include Provide As Alternate

Type: Stationary Swing Return **Finish:** #4 St/Stl #8 (Mirror) St/Stl #4 Brushed Bronze

Auxiliary COP Vandal-Resistant Car PI Hall PI: ____ Ea. Digital Multi-Light

Car Lantern Hall Lantern: ____ Ea. Top & Bottom Access Switch

ADA Phone/Grill Separate Phone Cabinet Hall Station Braille Independent Service Key Switch

Other: _____

Cab: Include Do Not Include Provide As Alternate

Standard Passenger Cab: Wood Core/Mica Walls, One #4St/Stl 3/8" x 2" Handrail on Rear (Front Open) or on Sides (F&R). #4St/Stl Returns, Strike, Transom, & Door. Cutouts for Stationary COP, Lantern(s), & PI(s). Steel Canopy w/Fluorescent Lighting. Drop Ceiling w/Vinyl Eggcrate Diffusers. 1-Speed Fan. Aluminum Sill(s).

Cab Options:

Steel Shell w/Applied Laminate Panels & Enamel Reveals

#4 St/Stl Reveals High-Voltage Down Lights in Canopy Low-Voltage Down Lights in Canopy

Full-Swing COP Return Panel Pads & Hooks Pad Hooks Only Sill Extension(s)

2-Speed Fan #4 St/Stl 3/8" x 2" Handrails @ 3 Sides #4St/Stl Round Handrails Nickel Silver Sill

Other Handrail Size/Finish: _____

Delaware Elevator Manufacturing
27685 Rockawalkin Ridge Road
Salisbury, MD 21801

Bruce Steffen Cell: 443-497-0155 Fax: 507-389-4569
Bruce Steffen E-mail: brucesteffen@delawareelevator.com

Date: _____
Group 2 RFQ; Page 2 of 2

Project Name: _____

Location: _____


Entrances: **Include** **Do Not Include** **Provide As Alternate**

Passenger Entrance: _____ Ea.

Wall Type: 8" Block 10" Block Drywall: _____" Thick

Jamb / Door Finish: #4 St/Stl Enamel Prime Painted #8 St/Stl

Sill Material: Aluminum Nickel-Silver



Options:

- Stud-Mounted Jamb Braille Blind Fascia Sound-Deaden Doors Sound-Deaden Frames
- Welded & Mitered Frames

Door Equipment: **Include** **Do Not Include** **Provide As Alternate**

Manufacturer: GAL **Operator Type:** MODL MOVFR II

Standard Door Equipment Package Includes: Operator, Header, Tracks, Hatch Door Hangers, Interlocks, Clutch

- High Cab Kit KMO Key Door Protection; Formula Systems

Piping Package: **Include** **Do Not Include** **Provide As Alternate**

Standard Piping Package Includes (MR Adjacent to Hoistway @ Lowest Landing):

Schedule 40 Oil Line: 30'-0" Vic Couplings: 14 Ea. Vic 90 Elbows: 6 Ea. Shut-Off Valves: 2 Ea.

Pipe Stands: 4 Ea. Vic Tee: 1 Ea. (For Twin-Jack Holeless Only)

Piping Package Options:

- M/L Strainer Pipe Rupture Valve Isolation Couplings Dielectric Union Pipe Hangers
- Remote Machine Room: _____ Feet Remote @ _____ Landing

Wiring Package: **Include** **Do Not Include** **Provide As Option**

Standard Wiring Package Includes: Traveler & Multi-Cable, Duct, Junction Boxes

Notes/Comments: _____

